



QUADTRAC & STEIGER AFS CONNECT™

TRACTORS - 406 TO 508 HP





CASE IH
QUADTRAC
600



EXPERIENCE FARMING THE WAY IT SHOULD BE

Each day, agriculture delivers new challenges and opportunities. One constant is your desire for independence, mapping your own path and seeing your operation succeed. The freedom to act on your own choices also defines the new Steiger AFS Connect™. For over 60 years, Steiger series tractors have helped producers like you get more from the job in demanding conditions. Now, with the power of AFS Connect, we'll help you find new ways to maximise your yield potential and return on investment, while minimising your fuel consumption, work hours and stress.

LOOKING FOR MORE TIME? OPTIMISE IT

The technology embedded in the completely redesigned cab is your key to unlocking a level of connectivity never before seen in a Case IH Steiger tractor. The new AFS Vision Pro operating system enables you to configure precision farming functionality, tractor systems and connectivity with integrated solutions. This comes without sacrificing the power, efficiency, durability and productivity that Steiger tractors are known for.

The Steiger AFS Connect integrates the technology you demand into one easy-to-use package. Test drive a tractor today to experience it for yourself.

AFS CONNECT STEIGER

| | |
|--|-------|
| Freedom to Farm Your Way | 4-5 |
| High-Efficiency Farming | 6-7 |
| Cab Updates..... | 8-9 |
| Quadtrac and Steiger AFS Connect At-A-Glance | 10-15 |
| Engine and Transmission | 16-17 |
| The Steiger Family | 18-19 |
| Serviceability and Support..... | 20-21 |
| Specifications..... | 22-23 |



THE FREEDOM TO FARM THE WAY YOU WANT

AFS Connect lets you remotely monitor and manage your farm, fleet and data, enabling you to optimise your performance, productivity and flexibility. Visualise your equipment and place information at your fingertips so you can successfully manage your operations anytime, anywhere.



FARM MANAGEMENT

MAXIMISE DAILY PRODUCTIVITY

Easily organise your paddocks, applications and agronomic data to gain better insights.

- View every paddock operation, from tillage all the way to harvest and beyond.
- Generate satellite maps to help visualise multiple layers of agronomic data to make more informed decisions.
- Push guidance lines, boundaries and prescriptions to equipment remotely.



FLEET MANAGEMENT

WORK SMARTER BY TRACKING EQUIPMENT

Achieve peak performance by maximising uptime and efficiency.

- Receive notifications and view critical operating parameters.
- Monitor current and historical machine performance.
- Plan and execute maintenance on connected vehicles.
- Coordinate your Case IH machines.
- Remote display viewing enables the farm manager or dealer to view—with the permission from the operator—what is on-screen in the cab of the tractor.




DATA MANAGEMENT

CONNECT AND SECURELY SHARE YOUR FARM DATA

Gain relevant agronomic insights that connect you to your farm down to the paddock level.

- AFS Connect helps you seamlessly manage, share and move data—all while ensuring you stay in complete control.
- Securely share your data and relevant equipment information with trusted partners.
- Invite your dealer to view relevant farm, paddock or paddock operation data for fast, transparent communication.







PRODUCTIVITY AND CONNECTIVITY MADE EASY

The Steiger AFS Connect series tractor sets a new standard for what connectivity and productivity can mean to your farming operation. Whether you are in the cab or 300 kilometres away, you have the ability to connect to your Steiger AFS Connect tractor. You now can remotely monitor your Steiger. View the same screen the operator is seeing, and transfer data both to and from the tractor to trusted APIs, your home operation or any other location you're connected to.

FULL REMOTE VISIBILITY

Sometimes, life gives you moments you can't afford to miss. Whether that's at the sporting field or simply joining the family around the dinner table, AFS Connect helps put you where you want to be. You don't need to be in the cab to see exactly what the operator is seeing. You can remotely view an AFS Pro 1200 display from wherever you are. Integrated solutions link your farm, fleet and data. AFS Connect helps you optimise your time by delivering the information you need to make better, more-informed management decisions.

- **Remote Display Viewing.** Enables a farm manager or dealer to remotely see—with the operator's permission—exactly what is on screen in the tractor cab.
- **Remote Service Support.** There's no time for downtime. Now, you can work with your local Case IH dealer to remotely diagnose maintenance and service issues and identify the parts you need to stay up and running.
- **Remote Software Updates.** Your local Case IH dealer can remotely update your operating firmware wirelessly to take advantage of new features, functionality and enhancements.



AN ALL-NEW CAB ENVIRONMENT LIKE NO OTHER

The new Steiger AFS Connect cab is finished with an automotive quality feel and designed to provide an in-cab experience like no other. The redesigned and ergonomic MultiFunction Handle and new MultiControl Armrest puts 95% of your most used functions right at your fingertips, with easy to use and programmable controls, minimising operator fatigue. Additional convenient cab features like 29 total outlets—including power charging, 12V power ports, diagnostic ports and a 240V power outlet—keep your devices fully powered at all times. Plus, monitor mounts, added storage and additional cup holders are available for use. The AFS Pro 1200 display has a crystal clear LCD screen that is fully customisable to provide critical information in a simple and easy-to-use format.

A completely new pressurised HVAC (Heating, Ventilation, and Air Conditioning) system provides optimal cab comfort with more vents and louvers to increase air flow around the operator. This allows operators to stay pleasantly cool on hot days and warm on cold days.



- A** Luxury leather, heated/ventilated seat with 40-degree swivel
- B** Molded floor mat
- C** Luxury leather instructor seat
- D** New wider, larger windshield wipers
- E** Telescoping steering wheel with memory lock

- F** Instrument cluster with key machine information
- G** AFS Pro 1200 display
- H** Redesigned Multifunction Handle
- I** Colour-coded, configurable, electro-hydraulic remotes (EHR)
- J** Encoder knob

- K** RAM device mounts
- L** Leather MultiControl Armrest
- M** USB, 3 pin and system data, and power ports (not pictured)
- N** Storage/cup holders (not pictured)

AN OPERATOR ENVIRONMENT ABOVE THE REST

Case IH engineers used years of research and input from our most qualified experts — you. The result is an interior that blends simplicity, control and luxury like you've never experienced in a tractor cab before.

- A** Pre-programmed hot keys
- B** Exclusive front and rear independent, automatic differential locks
- C** Ninth programmable hot key button provides more shortcut options
- D** Configurable hot keys 1–4
- E** Configurable hot keys 5–8
- F** Configurable, colour-coded electro-hydraulic remote (EHR) levers
- G** New 12-in. AFS Pro 1200 display with touch screen and Bluetooth® capabilities—powered by the new AFS Vision Pro operating system that is just like using a smartphone or tablet

MULTIFUNCTION HANDLE

Puts 95% of the commonly used controls at your fingertips.

MULTICONTROL ARMREST

Proven design now features an encoder for total control at your fingertips.



STEIGER QUADTRAC AFS CONNECT

Case IH industry-leading Quadtrac technology features four individually driven, positive drive, oscillating tracks. Each track maintains constant contact with the ground for a smooth ride, optimal ground pressure, superior flotation and better traction.

AFS VECTOR PRO RECEIVER

Consolidated components **improve guidance consistency and line acquisition.**

TRI-STRIPE DECAL


Updated styling reflects the latest design seen only on new Case IH tractors and reminds us of three key points found in every Steiger AFS Connect: **easy-to-use technology, ultimate comfort with ergonomic control and superior power to the ground.**

LED GRILLE MOUNTED WORK LIGHTS

Operate whenever you need to with lights that provide superior visibility at night.

EXCLUSIVE DUAL COOLING SYSTEMS

The Steiger 550 and 600 feature a low-pressure cooling circuit system that provides increased power along with fuel efficiency. The two-stage turbocharger system includes a small turbocharger that delivers low-RPM responsiveness and a second, larger one for maximum boost at high RPMs. Each turbocharger has its own load cooling system to provide 40 percent faster response under load.



■ POWER ADJUSTABLE MIRRORS

Electronic telescoping mirrors are controlled from the tractor cab for effortless adjustments (model dependent).



■ LED LIGHTS

New customisable LED lights provide enhanced front and side visibility, allowing the operator the freedom to customise which lights should be on or off as needed for their operation (model dependent).

■ 360-DEGREE EGRESS LIGHTING

Located at every angle around the tractor to give you better visibility upon exiting the cab in low light situations (model dependent).

■ TRI POINT OSCILLATION

This standard feature on all Steiger AFS Connect tractors transfers more weight to the front which provides **50/50 weight splits under load providing increased traction and reduced compaction.**

■ CAST UNDERCARRIAGE SYSTEM

Heavy-duty cast undercarriage designed by Case IH engineers for the rugged frame of Steiger tractors for enhanced durability and reliability.

■ STANDARD 4-POINT CAB SUSPENSION

Stabilises front-to-back, side-to-side and up-and-down motions creating a smooth ride regardless of terrain.

■ EXCLUSIVE TRACK TECHNOLOGY

Self-adjusting tracks eliminates the need for tools and keeps you up and running.





STEIGER AFS CONNECT WHEELED

4WD force makes Steiger wheeled tractors ideal for everything from pulling large planters and strip-till rigs to towing chaser bins. Plus, get more traction and less compaction with a longer wheelbase and the tallest factory-fit row crop tires in the industry.



POWERDRIVE POWERSHIFT TECHNOLOGY

The time-tested and fluid-efficient PowerDrive powershift does more than just shift gears. With the latest Steiger enhancements, it takes 20 percent less time to shift from first gear to 16th gear, saving you fuel, lowering operating costs and reducing fatigue. And during shuttle operation, a producer can change direction 38 percent faster than before.

NEW FRONT CAB ROOF MOUNTED LED LIGHTS

New customisable LED lights provide **enhanced front and side visibility** giving operators the freedom to program them to meet their operations' specific needs.



PROVEN ENGINES


The Case IH FPT engine has passed every challenge and is built with efficiency in mind. Case IH FPT 12.9-L engines incorporate patented fluid-saving technology for greater productivity that produce more power using less fuel. With 600 hour oil-change intervals, achieve greater fluid efficiency and lower operating costs.

■ STANDARD ADVANCED STEERING SYSTEM

The Case IH Advanced Steering system **gives an operator smoother and more precise control of the tractor and implement at every speed and now comes standard on every Steiger tractor.** Transitioning between roading and paddock operations is easier unlike previous systems that required four full side-to-side-turns for paddock applications, this system only requires 3 1/2 turns. The steering now has **three modes of adjustment—slow, medium and fast**—so you can tailor the steering to your applications.

■ STRUCTURAL STEEL FUEL TANK

Every Steiger AFS Connect fuel tank is made of durable structural steel, unlike competitive offerings. This important design difference adds additional weight and strength to the Steiger chassis.



■ STANDARD HEAVY-DUTY AXLES

All Steiger AFS Connect tractors feature massive heavy-duty axles that can **carry up to 29937 kgs (model dependent) of gross vehicle operating weight.** Steiger 550 and 600 have axles **5.5 inches in diameter with 18-bolt hubs and also feature unparalleled braking and hydraulic pressure** for feel and modulation. It all adds up to greater strength and durability. All new Steiger AFS Connect **500 models feature new heavier 5 inch bar axles on both ag and scraper versions.**

■ MOST POWERFUL WHEELS ON THE MARKET

It's one thing to produce a lot of horsepower. The **Nebraska Tractor Test Laboratory proved** the Steiger 620 wheeled tractor does that better than any other and the Steiger 580 set the second-highest drawbar fuel economy ever recorded. But, what really matters, and where the Steiger lineup excels, is moving this industry-leading power efficiently throughout the tractor and, ultimately, to the ground and implement being pulled. **Superior tractive capabilities using automatic differential locks reduce slippage in difficult paddock conditions.**

EFFICIENT POWER IN ANY APPLICATION

With two industry-leading transmissions to choose from, Case IH can deliver the optimal choice to match your operation's requirements.

POWERDRIVE POWERSHIFT TRANSMISSION

The world record-setting rugged and proven 16-speed PowerDrive powershift transmission delivers ultra-smooth shifting, reducing operator fatigue and provides optimal power transfer for maximum productivity.



INDUSTRY LEADING POWER AND PERFORMANCE

Case IH Tier 2 engines by FPT - featuring common rail fuel systems for 550 and 600 models -- offer power, performance and fuel economy. They also deliver more low-end torque to allow the engine to lug down and recover more quickly.

STRONG

- 12.9-litre engines with FPT technology provide leading fuel efficiency while maximising power.
- **Up to 10 percent power growth** to maximise performance in the toughest conditions.
- Steiger 550 and 600 models feature a two-stage turbocharger system with separate cooling system, delivering 40 percent faster response under load.



SMART

- **Exclusive** engine brake option comes standard.
- Saddle fuel tanks on select models to increase efficiency and extend uptime.

PROVEN

- Designed and tested at the Case IH Burr Ridge, Illinois, facility and in the paddock and on the farm by customers for customers to maintain an exceptional standard of durability and reliability.
- Service data can be wirelessly sent to your local Case IH dealer for remote diagnostics and quicker response time.



12.9L engine ▶

THE NEW STEIGER AFS CONNECT FAMILY: FREEDOM TO CONNECT AND CONFIGURE THE WAY YOU WANT

We have a variety of models to suit all applications. As the leader in 4WD industry innovation, this lineup is ready for handling large-scale planters and tillage tools, moving tons of earth and operating nimbly between emerging crop rows. That's what it means to be Steiger Strong — a combination of power, performance, flexibility and superior operator comfort that is unequaled.



CONFIGURATIONS TO FIT ANY OPERATION

The New Steiger AFS Connect tractors can be configured to fit your operation regardless of how demanding your application is.



WHEELED | High-horsepower row crop tractors deliver industry-leading fuel efficiency for maximum productivity. With reliable power, advanced hydraulics and an industry-best turning radius, no job is too tough.



SCRAPER | Steiger AFS Connect scraper models are proven workhorses, moving earth at the lowest possible cost per yard.



QUADTRAC | More than 20 years of industry-leading track technology can be found in every Steiger Quadtrac® AFS Connect tractor, which features four individually driven, positive-drive oscillating tracks.



SERVICEABILITY AND SUPPORT

Whether you are three kilometres or 300 kilometres away, you can get the support you need from your knowledgeable Case IH dealer. New features on the Steiger AFS Connect tractor allow them to better support you and your fleet remotely — and in real time. And when you do need service, they are ready to help you eliminate unnecessary downtime. There is no more waiting for a service truck to drive to the farm to diagnose an issue or driving around looking for the right part.



DAY-TO-DAY SERVICE HAS NEVER BEEN EASIER

Checking transmission oil, hydraulic fluid or filters is easier than ever before. **Ground-level fluid checks** from a single location near the cab entry help you to stay on top of maintenance. And an industry-leading **600-hour engine oil service interval** keeps you in the paddock.



KNOWLEDGEABLE DEALERS WHO WORK WITH YOU

Case IH dealers understand the need to optimise your equipment return on investment. Your dealer will work with you to configure an Steiger AFS Connect to fit your operation and provide the support you need to maximise its value.



UNBEATABLE CONNECTIVITY

When you have questions about Case IH equipment maintenance, there's no time to lose getting back in the paddock. Speak to your Case IH Dealer today about the online solutions available directly from your tractor cab.

| SPECIFICATIONS | 400 / WHEELED | 450 / WHEELED / QUADTRAC | 500 / WHEELED / QUADTRAC |
|---|--|--|--|
| ENGINE | | | |
| Engine Type | Case IH FPT Tier 2 12.9L (787 cu.in.) | | |
| Rated power at 2100 rpm | 406 | 457 | 508 |
| Maximum power at 1900 rpm | 446 | 502 | 558 |
| Peak Torque @ 1400RPM (Nm) | 1924 | 2161 | 2400 |
| Rated RPM | 2100 | | |
| ELECTRICAL | | | |
| Alternator/Battery/Battery Isolator | 12 Volt 240 amp/two 1000 cranking Amps/ Yes | | |
| Starting Power | 24 Volt with solenoid switch | | |
| TRANSMISSION/PTO | | | |
| Transmission (Standard) | Powerdrive full-powershift 16F/2R with 16 Hi (40kph) | | |
| PTO- Optional | 1000RPM- 1 3/4 in.shaft | | |
| AXLES | | | |
| Axle Diameter | 127mm (5.0 in) | | |
| Axle Bar Width (Wheeled)/Track Spacing (Quadtrac)* | 3048mm (120 in) / 2032mm(80 in) / 2235mm (88 in) | | |
| Wheelbase Wheeled / Quadtrac | 3759mm (148 in) | 3759mm (148 in) / 3912mm (154 in) | 3912mm (154 in) / 3912mm (154 in) |
| Automatic Differential Lock | Standard | | |
| HYDRAULICS | | | |
| Remote Valves (Standard/Optional) | 4 / up to 8 | | |
| High Flow/Twin Flow | Hydraulic output from 216 to 428l/min | | |
| DRAWBAR AND HITCH | | | |
| Drawbar Vertical Capacity for Wheeled and Quadtrac only | 4990kg (optional 6804kg) | | |
| Optional Linkage Type | Cat IV-N | | |
| Optional Linkage Lift Capacity | 8900kg (Quadtrac 8949kg) | | |
| CAPACITIES | | | |
| Fuel Tank | 1200L | 1200L Wheeled and Quadtrac (1779L option for Quadtrac 450) | 1200L Wheeled and Quadtrac (optional 1722L for 500 Wheeled and 1779L for Quadtrac 500) |
| | 1200L (1779L option for Quadtrac 450 and 500) | | |
| CAB | | | |
| Volume (Size) | 3.7 cu.m (132 cu.ft) | | |
| Glass | 8.18 sq.m (88.1 sq.ft) | | |
| WEIGHTS | | | |
| Wheeled Models- Base Shipping Weight | 17858kg | | 19885kg |
| Wheeled Models- Max Ballasted Weights | 22453kg | | 25401kg |
| Rowtrac Models- Base Shipping Weight | 22614kg | | |
| Rowtrac Models- Max Ballasted Weight | 27216kg | | |
| Quadtrac Models- Base Shipping Weight | N/A | 23416kg | |
| Quadtrac Models- Max Ballasted Weight | N/A | 29030kg | |

*All wheeled Steigers have bar axles and all Quadtrac/Rowtrac Steigers have flanged axles.

| SPECIFICATIONS | 550 WHEELED / QUADTRAC | 600 WHEELED / QUADTRAC |
|---|--|------------------------|
| ENGINE | | |
| Engine Type | Case IH FPT Tier 2 12.9L (787 cu.in.) | |
| Rated power at 2100 rpm | 457 | 508 |
| Maximum power at 1900 rpm | 502 | 558 |
| Peak Torque @ 1400RPM (Nm) | 2161 | 2400 |
| Rated RPM | 2100 | |
| ELECTRICAL | | |
| Alternator/Battery/Battery Isolator | 12V 240 amp / two 1,000 cranking amps / Yes | |
| Starting Power | 24 Volt with solenoid switch | |
| TRANSMISSION/PTO | | |
| Transmission (Standard/Optional) | Powerdrive full-powershift 16F/2R with 16 Hi (40kph) | |
| PTO- Optional | 1000RPM- 1 3/4 in.shaft | |
| AXLES | | |
| Axle Diameter | 140mm (5.5in) | |
| Axle Bar Width (Wheeled)/Track Spacing (Quadtrac)* | 3048mm (120 in)/ 2235mm (88 in) | |
| Wheelbase Wheeled / Quadtrac | 3912mm (154 in) | |
| Automatic Differential Lock | Standard | |
| HYDRAULICS | | |
| Remote Valves (Standard/Optional) | 6 standard / up to 8 optional | |
| Case IH Twin Flow Pumps | 427l/min | |
| DRAWBAR AND HITCH | | |
| Drawbar Vertical Capacity for Wheeled and Quadtrac only | 4990kg (optional 6804kg) | |
| Optional Linkage Type | Cat IV-N | |
| Optional Linkage Lift Capacity | 8900kg (Quadtrac 8949kg) | |
| CAPACITIES | | |
| Fuel Tank | 1722L (Quadtrac 1779L) | 1722L (Quadtrac 1779L) |
| | N/A | N/A |
| CAB | | |
| Volume (Size) | 3.7 cu.m (132 cu.ft) | |
| Glass | 8.18 sq.m (88.1 sq.ft) | |
| WEIGHTS | | |
| Wheeled Models- Base Shipping Weight | 22602kg | |
| Wheeled Models- Max Ballasted Weights | 29937kg | |
| Quadtrac Models- Base Shipping Weight | 24042kg | |
| Quadtrac Models- Max Ballasted Weight | 29030kg | |

Note: CVTDrive transmission adds approx 700kg to base shipping weight.
 *All wheeled Steigers have bar axles and all Quadtrac/Rowtrac Steigers have flanged axles.



CNH Industrial Asia Pacific
Riva Paradiso, 14 - Paradiso-Lugano Switzerland

 Safety never hurts! Always read the Operator's Manual before working with any equipment. Inspect equipment before using it, and be sure it is operating properly. Follow the product safety signs, and use any safety features provided. This literature has been published for worldwide circulation. The standard and optional equipment and the availability of individual models may vary from one country to the next. Case IH reserves the right to undertake modifications without prior notice to the design and technical equipment at all times without this resulting in any obligation whatsoever to make such modifications to units already sold. Whilst every effort is made to ensure that the specifications, descriptions and illustrations in this brochure are correct at the time of going to press, these are also subject to change without prior notice. Illustrations may show optional equipment or may not show all standard equipment. Case IH recommends **AKCELA** lubricants.



CASE IH Steiger AFS Connect™ brochure – 07/2021
Cod. 21MEAFSSTE001